

PULLMAN-HOLT **STONE CARE**

StoneCare Floor Machines

Our weighted, heavy-duty floor machine provides the friction required to perform many types of stone maintenance and refinishing operations on today's stone and concrete floors. A unique "donut" weight is mounted underneath the deck of the floor machine for smoother and superior grinding, honing, polishing and crystallization. A motor canopy bracket allows the operator to add additional weights directly above the center of the motor for increased friction without compromising balance.

Features:

- Cool-running large frame motors (AC or DC rectified) with all steel planetary gearboxes.
- Powder coated aluminum chassis is chip-resistant and corrosion resistant.
- Cam latch handle allows operator to adjust handle to any comfortable height.
- Metal on/off triggers with dual-deadman switch system for operator safety.
- Heavy gauge axle and extra wide solid wheels provides easier handling and transport.
- Continuous water feed hook-up or 4-gallon solution tank for dispensing of liquids.
- Includes special balanced pad driver holds synthetic pads or diamond discs firmly.
- Motor canopy weight basket allows weight adjustment from 140 lbs to 230 lbs.



PULLMAN-HOLT

10702 N. 46th St. • Tampa, FL 33617

800-237-7582 • Fax 800-833-8875

www.pullman-holt.com

PULLMAN-HOLT

The Pullman-Holt Advantage

Compare Pullman-Holt's Stone Care Floor Machine to others on the market. Are they designed specifically for stone and marble and concrete work like ours? Look again, to see the advantage.



1 A special 40 lb. "donut" weight is bolted under the deck.
The Advantage: The weight where you need it most, directly over the floor providing a lower center of gravity for smoother operation with less fatigue.



2 Specially designed weight basket is bolted through the machine's motor and gearbox.
The Advantage: much safer and steadier making the machine easier to control with less wobble and vibration.
Holds up to 10 each 10 lb. weights. (100 lbs.)



3 Available with a solution tank or water feed hook-up
Water feed hook-up connects to standard garden hose fitting and allows continuous flow of solution. The economical solution tank dispenses up to 4 gallon of solution before refilling.

Technical Specifications:

Item #	Model	Description	Amps	Shipping Wgt.	Price
B100290	B16F-SC-AW	AC Motor with waterfeed system	14.4	173	\$1996.00
B200755	B16F-SC-AT	AC Motor with 4-Gal Solution Tank	14.4	174	\$1896.00
B200754	B16F-SC-DW	DC Motor with waterfeed system	15.0	158	\$2596.00
B200744	B16F-SC-DT	DC Motor with 4-Gal Solution Tank	15.0	159	\$2496.00

Motor: 1.5 HP, 110V / 60 Hz
Brush speed: 175 RPM
Diameter: 16"
Machine weight: 140 lbs. to 230 lbs.

Accessory:

Item #	Description	Price
B980456	10 lb. canopy weight disc	\$53.00

PULLMAN-HOLT

StoneCare Abrasives

To compliment our unique StoneCare floor machine, we are pleased to introduce Pullman-Holt's revolutionary line of abrasives and chemicals to make the job of restoring and maintaining stone and marble floors simpler. Each diamond disc is coded by 'step' and 'color' to work hand-in-hand with Pullman-Holt's StoneCare floor machine and to help you produce a great finish on your own stone floors. The high temperature resistant bonding material, coupled with a high concentration of diamonds, make these discs one of the best performing and long lasting discs on the market today.

Pullman-Holt StoneCare Diamonds

Metal - 100 grit

For removal of lippage, and gouges on marble, granite, limestone, travertine and terrazzo.

Item # B200725

White - 3,500 grit

For final polishing of marble, granite, limestone, travertine and terrazzo final polishing.

Item #B200723

Grey - 1,500 grit


For initial polishing of marble, granite, limestone, travertine and terrazzo prior to polishing.

Item #B200722

Yellow - 800 grit

For honing marble, granite, limestone, travertine and terrazzo prior to polishing.

Item #B200721



Red -400 grit

For removal of fine scratches on Marble, granite, limestone, travertine and terrazzo.

Item #B200720

Black - 50 grit

For removal of moderate scratches on marble, granite, limestone, travertine and terrazzo.

Item #B200717

Blue -100 grit

For removal of moderate scratches on marble, granite, limestone, travertine terrazzo.

Item #B200718

Green - 200 grit

For removal of fine scratches on marble, granite, limestone, travertine and terrazzo.

Item #B200719



Magnified view shows how Pullman-Holt StoneCare discs contain a high concentration of diamonds, embedded in a heat-resistant resin.

With the Pullman-Holt StoneCare system, you can achieve professional results simply and easily without hours of training. Recently, a major national chain of department stores discovered that with one hour of practice, their own maintenance personnel produced a great finish using the following steps from the Pullman-Holt StoneCare system:

Step*	Disc color	# 9lb. Weights in canopy basket	# Passes
P5	Red	0	2
P6	Yellow	0	2
P7	MPC	1	1-2

MPC = Marble Polishing Compound (see back page)

*Specific floors/conditions may require additional steps (see complete PH StoneCare process card).